

## Test Update: Specimen Requirement Changes

October 9, 2019

Effective October 20, 2019, the test codes listed below will have changes to specimen collection containers and/or transportation temperatures. If specimen collection containers for a test have changed, you may need to order new supplies from PathGroup prior to the effective date. For additional information, please refer to the PathGroup Directory of Services at <http://www.pathgroup.com/clinical/testing-menu/>.

Test Code	Test Name	Specimen Container		Transportation Temperature	
		Old	New	Old	New
<b>ADSC2</b>	Androstenedione by TMS	<b>Serum Separator Tube, Pour Off</b>	<b>Red-Top Tube, Pour Off</b>	Refrigerated	No Change
<b>ADSTD</b>	Androstenedione by TMS	<b>Serum Separator Tube, Pour Off</b>	<b>Red-Top Tube, Pour Off</b>	Refrigerated	No Change
<b>DHE</b>	Dehydroepiandrosterone (DHEA), Serum	<b>Serum Separator Tube, Pour Off</b>	<b>Red-Top Tube, Pour Off</b>	Frozen	No Change
<b>DHEAC2</b>	Dehydroepiandrosterone by TMS	<b>Serum Separator Tube, Pour Off</b>	<b>Red-Top Tube, Pour Off</b>	Frozen	No Change
<b>G6PDH</b>	Glucose-6-Phosphate Dehydrogenase	<b>Yellow ACD A, Whole Blood</b>	<b>EDTA (Lavender), Whole Blood</b>	Refrigerated	No Change
<b>PREGN</b>	Pregnenolone	<b>Serum Separator Tube, Pour Off</b>	<b>Red-Top Tube, Pour Off</b>	Frozen	No Change
<b>PTHp</b>	Parathyroid Hormone-Related Peptide (PTHrP)	<b>Protease Inhibitor Tube, Plasma</b>	<b>Green-Top Sodium Heparin, Plasma</b>	Frozen	No Change

**For further questions, please contact Client Services at 615-562-9300 or 1-888-474-5227.**